Media Wall Straight (2400mm)

2400 W x 2200mm H Frame Dimensions

NOTES

DESIGN

Trim Line -
Any background colour should be filled to the trim line

Safe Line -
Please keep the important informatiom, such as logo and text inside the safe line.

Template -
Template is 100% sized.

Images -
A minimum of 150dpi for high quality images and not to be linked.

Fonts and strokes -
Please convert all fonts to outlines and strokes to outlines.

File Format -
Please supply PDF/AI/EPS and low res jpeg if possible.

Colours -
Ideally CMYK, please let us know if Pantone is required and assign.

Your job is printed using CMYK dye sublimation. We will make every effort to match pantone colours as close as possible.

Please note: colours can vary and we cannot be held responsible. Colour swatches can be seen if required.

Media Wall Straight (2950mm)



2950 W x 2200mm H Frame Dimensions

NOTES

DESIGN

Trim Line -
Any background colour should be filled to the trim line

Safe Line -
Please keep the important informatiom, such as logo and text inside the safe line.

Template -
Template is 100% sized.

Images -
A minimum of 150dpi for high quality images and not to be linked.

Fonts and strokes -
Please convert all fonts to outlines and strokes to outlines.

File Format -
Please supply PDF/AI/EPS and low res jpeg if possible.

Colours -
Ideally CMYK, please let us know if Pantone is required and assign.

Your job is printed using CMYK dye sublimation. We will make every effort to match pantone colours as close as possible.

Please note: colours can vary and we cannot be held responsible. Colour swatches can be seen if required.

Media Wall Straight (5900mm)

5900 W x 2200mm H Frame Dimensions

NOTES

DESIGN

Trim Line -

Any background colour should be filled to the trim line

Safe Line -

Please keep the important informatiom, such as logo and text inside the safe line.

Template -

Template is 50% sized.

Images -

A minimum of 150dpi for high quality images and not to be linked.

Fonts and strokes -

Please convert all fonts to outlines and strokes to outlines.

File Format -

Please supply PDF/AI/EPS and low res jpeg if possible.

Colours -

Ideally CMYK, please let us know if Pantone is required and assign.

Your job is printed using CMYK dye sublimation. We will make every effort to match pantone colours as close as possible.

Please note: colours can vary and we cannot be held responsible. Colour swatches can be seen if required.

Media Wall Curved (2280mm)

2280 W x 2200mm H Frame Dimensions

NOTES

DESIGN

Trim Line -

Any background colour should be filled to the trim line

Safe Line -

Please keep the important informatiom, such as logo and text inside the safe line.

Template -

Template is 100% sized.

Images -

A minimum of 150dpi for high quality images and not to be linked.

Fonts and strokes -

Please convert all fonts to outlines and strokes to outlines.

File Format -

Please supply PDF/AI/EPS and low res jpeg if possible.

Colours -

Ideally CMYK, please let us know if Pantone is required and assign.

Your job is printed using CMYK dye sublimation. We will make every effort to match pantone colours as close as possible.

Please note: colours can vary and we cannot be held responsible. Colour swatches can be seen if required.

Media Wall Curved (3000mm)



3000 W x 2200mm H Frame Dimensions

NOTES

DESIGN

Trim Line -

Any background colour should be filled to the trim line

Safe Line -

Please keep the important informatiom, such as logo and text inside the safe line.

Template -

Template is 100% sized.

Images -

A minimum of 150dpi for high quality images and not to be linked.

Fonts and strokes -

Please convert all fonts to outlines and strokes to outlines.

File Format -

Please supply PDF/AI/EPS and low res jpeg if possible.

Colours -

Ideally CMYK, please let us know if Pantone is required and assign.

Your job is printed using CMYK dye sublimation. We will make every effort to match pantone colours as close as possible.

Please note: colours can vary and we cannot be held responsible. Colour swatches can be seen if required.

Media Wall Curved (5000mm)

5000 W x 2200mm H Frame Dimensions

NOTES

DESIGN

Trim Line -

Any background colour should be filled to the trim line

Safe Line -

Please keep the important informatiom, such as logo and text inside the safe line.

Template -

Template is 50% sized.

Images -

A minimum of 150dpi for high quality images and not to be linked.

Fonts and strokes -

Please convert all fonts to outlines and strokes to outlines.

File Format -

Please supply PDF/AI/EPS and low res jpeg if possible.

Colours -

Ideally CMYK, please let us know if Pantone is required and assign.

Your job is printed using CMYK dye sublimation. We will make every effort to match pantone colours as close as possible.

Please note: colours can vary and we cannot be held responsible. Colour swatches can be seen if required.